CONTENTS

Formation of the homoconjugated cation $(N–O\cdots H\cdots O–N)^+$ of *N*-dodecyl-*N,N*-dimethylamine oxide in carbon tetrachloride
B. Brycki and M. Szafran (Poznań, Poland) 1

Hydrogen bond and electro-optical parameters of chlorosubstituted aniline
V.E. Borisenko and O.N. Grishanova (Tyumen, U.S.S.R.) 13

Fourier transform infrared study on the identification of gossypol tautomers
B. Brzezinski, J. Olejnik and S. Paszyc (Poznań, Poland) 23

Vibrational spectra and conformation of polyethylene glycol complexed with calcium and magnesium chlorides
K. Horikoshi, K. Hata, N. Kawabata, S.-I. Ikawa and S. Konaka (Sapporo, Japan) 33

Raman spectra and normal vibrations of 2-substituted 2,4,4-trimethylpentanes $(CH_3)_3CCH_2C(CH_3)_2X$ (X = Cl, Br, SH and CH_3) as model compounds of a hydrophobic group of Triton X surfactants
H. Matsuura, K. Fukuhara, K. Takashima (Hiroshima, Japan) and M. Sakakibara (Tottori, Japan) 43

Thermodynamic functions of rotational equilibria in ethyl acetate and monohaloacetates
M.A. Raso and M.V. Garcia (Madrid, Spain) 55

Vibrational spectroscopy of dimethyl telluride, diethyl telluride and di-*tert*-butyl telluride in the liquid phase
M.J. Almond, C.A. Yates, D.A. Rice (Reading, Gt. Britain), P.J. Hendra (Southampton, Gt. Britain) and P.T. Brain (Oxford, Gt. Britain) 69

Structural changes in even-numbered crystalline paraffins at temperatures below their melting point
I.A.M. Royaud, P.J. Hendra, W. Maddams, C. Passingham and H.A. Willis (Southampton, Gt. Britain) 83

An infrared spectroscopic study of the hydration of the triflate ion ($CF_3SO_3^-$) in aqueous solution
P.-Å. Bergström and J. Lindgren (Uppsala, Sweden) 103

Dimethylmethoxyborane: vibrational assignment, conformation stability, ab initio calculations and barriers to internal rotation
E.J. Stampf (Greenwood, SC, U.S.A.), J.D. Odom, S.V. Saari, Y.H. Kim, M.M. Bergana and J.R. Durig (Columbia, SC, U.S.A.) 113

The preparation and characterisation of rubidium dodecamolybdophosphate, $Rb_3(MoO_3)_{12}PO_4 \cdot 4H_2O$
B. Courtney (Sellafield, Gt. Britain), H.G.M. Edwards (Bradford, Gt. Britain) and P. Robson (Sellafield, Gt. Britain) 139

Structure and molecular motion of poly(ethylene oxide) in the solid state as studied by variable-temperature high-resolution solid-state ^{13}C NMR
H. Kurosu and I. Ando (Tokyo, Japan) 149

Organic shift reagents for the NMR analysis of cyclodextrins
F. Djedaïni and B. Perly (Gif sur Yvette, France) 161

Bowlane (tetracyclo[3.3.3.$1^{3,10}1^{7,10}$]tridecane): a new hypothetical molecule possessing a pyramidal tetracoordinated carbon atom in the ground state
H. Dodziuk (Warsaw, Poland) 167

Ab initio calculation of the equilibrium structure, quadrupole coupling and second moments for methyl nitrate and nitric acid
M.H. Palmer (Edinburgh, Gt. Britain) 173

Surface intermediates in the transformation of allyl alcohol over zeolites
I. Kiricsi, Gy. Tasi, A. Molnar (Szeged, Hungary) and H. Förster (Hamburg, F.R.G.) 185

Monte Carlo study of lactone formation kinetics
P. Alemany and E. Vilaseca (Barcelona, Spain) 193
Internal rotation in halogen derivatives of tolane $X_5C_6–C≡C–C_6X_5$ determined by molecular mechanics calculations
R. Stølevik and P. Bakken (Dragvoll, Norway) 205
Determination of the molecular structure of tris(trimethylsilyl)phosphine in the gas phase by electron diffraction, supported by molecular mechanics calculations
G.A. Forsyth, D.W.H. Rankin and H.E. Robertson (Edinburgh, Gt. Britain) 209
A dipole moment study of enamines, amides, amidines, hydrazones, triazenes and ureas
H. Lumbroso and J. Curé (Paris, France) 219
A dipole moment analysis of arylphosphines and phospholes
H. Lumbroso and D.M. Bertin (Paris, France) 235
Crystal structure and anion-dependent variations in the vibrational spectra of 4,4′-bipyridinium cations
D.J. Barker (Newcastle, NSW, Australia), J.S. Buckleton, G.R. Clark, R.P. Cooney and C.E.F. Rickard (Auckland, New Zealand) 249
On the structure of 4-amino-(*Z*)-5-(4′-hydroxy-(*E*)-but-2′-enylidene)-1,5-dihydro-2*H*-imidazol-2-one·H_2O in the crystalline state
Gy. Argay, A. Kálmán, J. Kovács and I. Pintér (Budapest, Hungary) 257
Molecular structure of (*E*)- and (*Z*)-methylcyanovinyl sulphone in the gas phase and in crystal
E. Vajda (Budapest, Hungary), D. Hnyk (Prague, Czechoslovakia), B. Rozsondai (Budapest, Hungary), J. Podlaha, J. Podlahová and J. Hašek (Prague, Czechoslovakia) 265
Molecular geometry of (*E*)- and (*Z*)-methylcyanovinyl ether
D. Hnyk (Prague, Czechoslovakia), E. Vajda and B. Rozsondai (Budapest, Hungary) 281
Determination of the gas-phase molecular structures of tetraphenylsilane, tetraphenylgermane, and tetraphenyltin by electron diffraction
E. Csákvári, I.F. Shishkov, B. Rozsondai and I. Hargittai (Budapest, Hungary) 291
A qualitative model for hybridization and bonding effects in molecular Auger spectra
C.-M. Liegener (Erlangen, F.R.G.) 305

Short Communication

Molecular structure of gaseous thioxanthene by electron diffraction
K. Iijima, M. Yagi and S. Onuma (Shizuoka, Japan) 311

Book reviews 315
Author Index 323
Subject Index 325